

# Myeloid Cell Marker (Macrophage / Granulocyte Marker) Antibody - With BSA and Azide

Mouse Monoclonal Antibody [Clone BM-2] Catalog # AH10949

### **Product Information**

IF, FC, IHC-P **Application** Reactivity Human Host Mouse Clonality Monoclonal Isotype Mouse / IgG1 **Clone Names** BM-2

**Calculated MW** 183 KDa

### **Additional Information**

**Application Note** IF~~1:50~200 FC~~1:10~50 IHC-P~~N/A

**Format** 200ug/ml of Ab purified from Bioreactor Concentrate by Protein A/G.

Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available

WITHOUT BSA & azide at 1.0mg/ml.

Store at 2 to 8°C.Antibody is stable for 24 months. **Storage** 

**Precautions** Myeloid Cell Marker (Macrophage / Granulocyte Marker) Antibody - With BSA

and Azide is for research use only and not for use in diagnostic or therapeutic

procedures.


## **Background**

Recognizes 183kDa protein with DNA-binding characteristics, which is identified as a myeloid specific antigen. It reacts with myeloid precursor cells and granulocytes in bone marrow. Its antigen appears to be restricted to M2 and M3 acute myelogenous leukemia (AML) subtypes. Markers of myeloid cells are useful in the identification of different levels of cellular differentiation. This MAb reacts with early precursor and mature forms of human myeloid cells. It is useful in the identification of myelogenous leukemias, distinguishing granulocytic sarcomas from lymphoid malignancies and also in the study of differentiation and transformation of human myeloid cells. The biological function of this antigen is not clear, although it has been proposed that it may play a role in the differentiation of myeloid cells.

#### References

Epstein AL; Samoszuk M; Stathopoulos E; Naeve GS; Clevenger CV; Weil S; Marder RJ. Immunohistochemical characterization of a 183 KD myeloid-specific-DNA-binding protein in B5 fixed, paraffin-embedded tissues, and bone marrow aspirates by monoclonal antibody BM-1. Blood, 1987, 70(4):1124-30

## **Images**



Formalin-fixed, paraffin-embedded human Tonsil stained with Myeloid Specific Monoclonal Antibody (BM-2).

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.