

Bromodeoxyuridine (BrdU) (Proliferation Marker) Antibody - With BSA and Azide

Mouse Monoclonal Antibody [Clone BRD469 + BRD494 + BRD.3] Catalog # AH10977

Product Information

ApplicationIF, FC, IHC-PHostMouseClonalityMonoclonalIsotypeMouse / IgG1 s

Clone Names BRD469 + BRD494 + BRD.3

Calculated MW Depends on the target

Additional Information

Application Note IF~~1:50~200 FC~~1:10~50 IHC-P~~N/A

Format 200ug/ml of Ab purified from Bioreactor Concentrate by Protein A/G.

Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available

WITHOUT BSA & azide at 1.0mg/ml.

Storage Store at 2 to 8°C.Antibody is stable for 24 months.

Precautions Bromodeoxyuridine (BrdU) (Proliferation Marker) Antibody - With BSA and

Azide is for research use only and not for use in diagnostic or therapeutic

procedures.

Background


It reacts with Bromodeoxyuridine (BrdU) in single stranded DNA (produced by partial denaturation of double stranded DNA), BrdU coupled to a protein carrier, as well as free BrdU. BrdU is a thymidine analog, incorporated into cell nuclei during DNA synthesis prior to mitosis. Antibody to BrdU is helpful in detecting S-phase cells, providing useful information on the aggressiveness of tumors.

References

Welberg JW et. al. Journal of Clinical Pathology, 1990, 43(6):453-6. Williams LS et. al. Cytometry, 1990, 11(4):490-7

Images

Formalin-fixed, paraffin-embedded Mouse Small Intestine stained with BrdU Monoclonal Antibody (BRD469 + BRD494 + BRD.3).



Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.