

ZNF564 antibody - C-terminal region

Rabbit Polyclonal Antibody

Catalog # AI11630

Product Information

| | |
|--------------------------|---|
| Application | WB |
| Primary Accession | Q8TBZ8 |
| Other Accession | NM_144976 , NP_659413 |
| Reactivity | Human, Mouse, Rat, Zebrafish, Pig, Dog, Horse, Bovine |
| Predicted | Mouse, Rat, Zebrafish, Pig, Dog, Bovine |
| Host | Rabbit |
| Clonality | Polyclonal |
| Calculated MW | 63735 |

Additional Information

| | |
|-------------------------------------|---|
| Gene ID | 163050 |
| Alias Symbol | MGC26914 |
| Other Names | Zinc finger protein 564, ZNF564 |
| Format | Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose. |
| Reconstitution & Storage | Add 50 ul of distilled water. Final anti-ZNF564 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles. |
| Precautions | ZNF564 antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures. |

Protein Information

| | |
|--------------------------|--|
| Name | ZNF564 |
| Function | May be involved in transcriptional regulation. |
| Cellular Location | Nucleus. |

References

Isogai, T. Unpublished (2002) Reconstitution and Storage: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.

Images



WB Suggested Anti-ZNF564 Antibody Titration: 0.2-1
µg/ml
Positive Control: Jurkat cell lysate

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.