

D9Ertd402e antibody - N-terminal region

Rabbit Polyclonal Antibody

Catalog # AI13652

Product Information

Application	WB
Primary Accession	Q66JZ4
Other Accession	NM_001013405 , NP_001013423
Reactivity	Human, Mouse, Rat, Rabbit, Zebrafish, Dog, Guinea Pig, Horse, Bovine
Predicted	Mouse
Host	Rabbit
Clonality	Polyclonal
Calculated MW	57402

Additional Information

Gene ID	382117
Alias Symbol	Gm1129, MGC91156, TOAG-1, D9Ertd402e
Other Names	T-cell activation inhibitor, mitochondrial, Tolerance associated gene-1 protein, TOAG-1, TCAIM, D9Ertd402e, Toag1
Format	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.
Reconstitution & Storage	Add 50 ul of distilled water. Final anti-D9Ertd402e antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.
Precautions	D9Ertd402e antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

Protein Information

Name	TCAIM
Synonyms	D9Ertd402e, Toag1
Function	May regulate T-cell apoptosis.
Cellular Location	Mitochondrion.
Tissue Location	Expressed in peripheral blood leukocytes, mainly in T-lymphocytes.

References

Sawitzki B.,et al.Am. J. Transplant. 7:1091-1102(2007).
Keeren K.,et al.J. Immunol. 183:4077-4087(2009).

Images



WB Suggested Anti-D9Ert402e Antibody Titration: 1.0
µg/ml
Positive Control: Mouse Pancreas

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.