

MLNR Antibody - C-terminal region

Rabbit Polyclonal Antibody

Catalog # AI15217

Product Information

Application	WB
Primary Accession	O43193
Other Accession	NM_001507 , NP_001498
Reactivity	Human
Predicted	Human
Host	Rabbit
Clonality	Polyclonal
Calculated MW	45344

Additional Information

Gene ID	2862
Alias Symbol	GPR38, MTLR1
Other Names	Motilin receptor, G-protein coupled receptor 38, MLNR, GPR38, MTLR, MTLR1
Format	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.
Reconstitution & Storage	Add 50 ul of distilled water. Final anti-MLNR antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.
Precautions	MLNR Antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.


Protein Information

Name	MLNR
Synonyms	GPR38, MTLR, MTLR1
Function	Receptor for motilin.
Cellular Location	Cell membrane; Multi-pass membrane protein.
Tissue Location	Expressed only in thyroid, stomach, and bone marrow

References

McKee K.K.,et al.Genomics 46:426-434(1997).
Feighner S.D.,et al.Science 284:2184-2188(1999).
King M.M.,et al.Submitted (APR-2004) to the EMBL/GenBank/DDBJ databases.
Dunham A.,et al.Nature 428:522-528(2004).
Smith R.G.,et al.Endocrine 14:9-14(2001).

Images



WB Suggested Anti-MLNR Antibody Titration: 1.0 µg/ml
Positive Control: Hela Whole Cell

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.