

Anti-GPX4 / MCSP Antibody (aa184-196)

Goat Anti Human Polyclonal Antibody Catalog # ALS17610

Product Information

Application WB, IHC-P, E **Primary Accession** P36969

Predicted Human, Monkey

HostGoatClonalityPolyclonalCalculated MW22175Concentration (mg/ml)0.5 mg/ml

Additional Information

Gene ID 2879

Alias Symbol GPX4

Other Names GPX4, GPx-4, MCSP, SnPHGPx, Phospholipid hydroperoxidase, SnGPx,

Glutathione peroxidase 4, GSHPx-4, PHGPx

Target/Specificity Human GPX4. This antibody is expected to recognise isoform A (NP_002076.2)

and isoform C (NP_001034937.1).

Reconstitution & Storage Immunoaffinity purified

Precautions Anti-GPX4 / MCSP Antibody (aa184-196) is for research use only and not for

use in diagnostic or therapeutic procedures.

Protein Information

Name GPX4 {ECO:0000303 | PubMed:9705830, ECO:0000312 | HGNC:HGNC:4556}

Function Essential antioxidant peroxidase that directly reduces phospholipid

hydroperoxide even if they are incorporated in membranes and lipoproteins (By similarity). Can also reduce cholesterol hydroperoxide and thymine hydroperoxide (By similarity). Plays a key role in protecting cells from oxidative damage by preventing membrane lipid peroxidation (By similarity). Required to prevent cells from ferroptosis, a non-apoptotic cell death resulting from an iron- dependent accumulation of lipid reactive oxygen species (PubMed:24439385). The presence of selenocysteine (Sec) versus Cys at the active site is essential for life: it provides resistance to overoxidation and prevents cells against ferroptosis (By similarity). The presence of Sec at the active site is also essential for the survival of a specific type of

parvalbumin-positive interneurons, thereby preventing against fatal epileptic seizures (By similarity). May be required to protect cells from the toxicity of

ingested lipid hydroperoxides (By similarity). Required for normal sperm development and male fertility (By similarity). Essential for maturation and survival of photoreceptor cells (By similarity). Plays a role in a primary T-cell response to viral and parasitic infection by protecting T-cells from ferroptosis and by supporting T-cell expansion (By similarity). Plays a role of glutathione peroxidase in platelets in the arachidonic acid metabolism (PubMed:11115402). Reduces hydroperoxy ester lipids formed by a 15-lipoxygenase that may play a role as down- regulator of the cellular 15-lipoxygenase pathway (By similarity). Can reduce fatty acid-derived hydroperoxides (PubMed:11115402, PubMed:36608588). Can also reduce small soluble hydroperoxides such as H2O2, cumene hydroperoxide and tert-butyl hydroperoxide (PubMed:17630701, PubMed:36608588).

Cellular Location

[Isoform Mitochondrial]: Mitochondrion {ECO:0000250 | UniProtKB:070325}

Tissue Location

Present primarily in testis. Expressed in platelets (at protein level)

(PubMed:11115402).

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.