

# GATAD2A Antibody (N-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP20258a

## **Product Information**

**Application** WB, E **Primary Accession Q86YP4 Other Accession** NP 060130.3 Reactivity Human Host Rabbit Clonality Polyclonal Isotype Rabbit IgG **Clone Names** RB42728 Calculated MW 68063 1-30 **Antigen Region** 

## **Additional Information**

**Gene ID** 54815

Other Names Transcriptional repressor p66-alpha, Hp66alpha, GATA zinc finger

domain-containing protein 2A, GATAD2A

**Target/Specificity**This GATAD2A antibody is generated from rabbits immunized with a KLH

conjugated synthetic peptide between 1-30 amino acids from the N-terminal

region of human GATAD2A.

**Dilution** WB~~1:1000 E~~Use at an assay dependent concentration.

**Format** Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide.

This antibody is purified through a protein A column, followed by peptide

affinity purification.

**Storage** Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store

at -20°C in small aliquots to prevent freeze-thaw cycles.

**Precautions** GATAD2A Antibody (N-term) is for research use only and not for use in

diagnostic or therapeutic procedures.

### **Protein Information**

Name GATAD2A

**Function** Transcriptional repressor (PubMed: <u>12183469</u>, PubMed: <u>16415179</u>). Acts as a

component of the histone deacetylase NuRD complex which participates in the remodeling of chromatin (PubMed: 16428440, PubMed: 28977666).

Enhances MBD2-mediated repression (PubMed:12183469,

PubMed: 16415179). Efficient repression requires the presence of GATAD2B

(PubMed:<u>16415179</u>).

**Cellular Location** 

Nucleus speckle. Nucleus. Chromosome. Note=Speckled nuclear localization requires both CR1 and CR2 regions (PubMed:16415179). Localizes to sites of

DNA damage in a manner partially dependent on ZMYND8

(PubMed:27732854).

**Tissue Location** 

Ubiquitous, both in fetal and adult tissues.


# **Background**

GATAD2A is a transcriptional repressor.

### References

Joslyn, G., et al. Alcohol. Clin. Exp. Res. 34(5):800-812(2010) Beausoleil, S.A., et al. Nat. Biotechnol. 24(10):1285-1292(2006) Brackertz, M., et al. Nucleic Acids Res. 34(2):397-406(2006) Brackertz, M., et al. J. Biol. Chem. 277(43):40958-40966(2002)

# **Images**



GATAD2A Antibody (N-term) (Cat. #AP20258a) western blot analysis in Hela cell line lysates (35ug/lane). This demonstrates the GATAD2A antibody detected the GATAD2A protein (arrow).

## **Citations**

• Knockdown of GATAD2A suppresses cell proliferation in thyroid cancer in vitro.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.