

SYN1 Antibody (C-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP20425b

Product Information

Application WB, E Primary Accession P17600

Other AccessionP09951, O88935, P17599ReactivityHuman, Rat, MousePredictedBovine, Mouse, Rat

Host Rabbit
Clonality Polyclonal
Isotype Rabbit IgG
Clone Names RB43634
Calculated MW 74111
Antigen Region 668-697

Additional Information

Gene ID 6853

Other Names Synapsin-1, Brain protein 41, Synapsin I, SYN1

Target/Specificity This SYN1 antibody is generated from rabbits immunized with a KLH

conjugated synthetic peptide between 668-697 amino acids from the

C-terminal region of human SYN1.

Dilution WB~~1:1000 E~~Use at an assay dependent concentration.

Format Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide.

This antibody is purified through a protein A column, followed by peptide

affinity purification.

Storage Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store

at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions SYN1 Antibody (C-term) is for research use only and not for use in diagnostic

or therapeutic procedures.

Protein Information

Name SYN1

Function Neuronal phosphoprotein that coats synaptic vesicles, and binds to the

cytoskeleton. Acts as a regulator of synaptic vesicles trafficking, involved in

the control of neurotransmitter release at the pre-synaptic terminal

(PubMed: <u>21441247</u>, PubMed: <u>23406870</u>). Also involved in the regulation of axon outgrowth and synaptogenesis (By similarity). The complex formed with NOS1 and CAPON proteins is necessary for specific nitric-oxid functions at a presynaptic level (By similarity).


Cellular Location

Synapse {ECO:0000250 | UniProtKB:O88935}. Golgi apparatus {ECO:0000250 | UniProtKB:O88935}. Presynapse. Cytoplasmic vesicle, secretory vesicle, synaptic vesicle {ECO:0000250 | UniProtKB:P09951}. Note=Dissociates from synaptic vesicles and redistributes into the axon during action potential firing, in a step that precedes fusion of vesicles with the plasma membrane. Reclusters to presynapses after the cessation of synaptic activity. {ECO:0000250 | UniProtKB:P09951}


Background

Neuronal phosphoprotein that coats synaptic vesicles, binds to the cytoskeleton, and is believed to function in the regulation of neurotransmitter release. The complex formed with NOS1 and CAPON proteins is necessary for specific nitric-oxid functions at a presynaptic level.

Images



Western blot analysis of lysates from SH-SY5Y cell line, mouse brain, rat brain, rat cerebellum tissue (from left to right), using SYN1 Antibody (C-term)(Cat. #AP20425b). AP20425b was diluted at 1:1000 at each lane. A goat anti-rabbit IgG H&L(HRP) at 1:10000 dilution was used as the secondary antibody. Lysates at 20ug per lane.



SYN1 Antibody (C-term) (Cat. #AP20425b) western blot analysis in HL-60 cell line lysates (35ug/lane). This demonstrates the SYN1 antibody detected the SYN1 protein (arrow).

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.