

ERVK-21 Antibody (Center)

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP22081c

Product Information

Application WB, E Primary Accession P61565

Other Accession 0902F9, 042043, 071037, P61566, P61570, 09HDB8, 069384, P61567,

Q902F8, Q9UKH3, P63135

Reactivity Human
Predicted Human
Host Rabbit
Clonality polyclonal
Isotype Rabbit IgG
Clone Names RB55404
Calculated MW 79236

Additional Information

Other Names Endogenous retrovirus group K member 21 Env polyprotein, EnvK1 protein,

Envelope polyprotein, HERV-K_12q14.1 provirus ancestral Env polyprotein,

Surface protein, SU, Transmembrane protein, TM, ERVK-21

Target/Specificity This ERVK-21 antibody is generated from a rabbit immunized with a KLH

conjugated synthetic peptide between 271-302 amino acids from the Central

region of human ERVK-21.

Dilution WB~~1:2000 E~~Use at an assay dependent concentration.

Format Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide.

This antibody is purified through a protein A column, followed by peptide

affinity purification.

Storage Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store

at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions ERVK-21 Antibody (Center) is for research use only and not for use in

diagnostic or therapeutic procedures.

Protein Information

Name ERVK-21

Function Retroviral envelope proteins mediate receptor recognition and membrane

fusion during early infection. Endogenous envelope proteins may have kept, lost or modified their original function during evolution. This endogenous

envelope protein has lost its original fusogenic properties.

Cellular Location

[Transmembrane protein]: Cell membrane; Single-pass type I membrane protein [Endogenous retrovirus group K member 21 Env polyprotein]: Virion


Background

Retroviral envelope proteins mediate receptor recognition and membrane fusion during early infection. Endogenous envelope proteins may have kept, lost or modified their original function during evolution. This endogenous envelope protein has lost its original fusogenic properties.

References

Scherer S.E.,et al.Nature 440:346-351(2006). de Parseval N.,et al.J. Virol. 77:10414-10422(2003). Blaise S.,et al.Proc. Natl. Acad. Sci. U.S.A. 100:13013-13018(2003). Wang-Johanning F.,et al.Oncogene 22:1528-1535(2003).

Images



Anti-ERVK-21 Antibody (Center) at 1:2000 dilution + human skeletal muscle lysate Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size: 79 kDa Blocking/Dilution buffer: 5% NFDM/TBST.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.