

ABCA8 Antibody

Purified Rabbit Polyclonal Antibody (Pab)

Catalog # AP50945

Product Information

Application	WB
Primary Accession	O94911
Reactivity	Human, Mouse, Rat
Host	Rabbit
Clonality	Polyclonal
Calculated MW	183677

Additional Information

Gene ID	10351
Other Names	ATP-binding cassette sub-family A member 8, ABCA8, KIAA0822
Dilution	WB~~1:1000
Format	0.01M PBS, pH 7.2, 0.09% (W/V) Sodium azide, Glycerol 50%
Storage	Store at -20 °C.Stable for 12 months from date of receipt

Protein Information

Name	ABCA8 (HGNC:38)
Function	[Isoform 1]: Catalyzes ATP-dependent import of organic anions such as taurocholate and estrone sulfate (PubMed: 12379217). In vitro, also imports ochratoxin A (PubMed: 12379217). Also mediates cholesterol efflux independent of apolipoprotein, and plays a role in sphingomyelin production in oligodendrocytes (PubMed: 23560799).
Cellular Location	Cell membrane; Multi-pass membrane protein. Basolateral cell membrane {ECO:0000250 UniProtKB:Q8K440}. Note=Predominantly expressed on the sinusoidal plasma membrane. {ECO:0000250 UniProtKB:Q8K440}
Tissue Location	Widely expressed with higher expression in heart, skeletal muscle and liver (PubMed:12379217, PubMed:28882873, PubMed:29300488). Highly expressed in the superior frontal white matter and inferior temporal white matter (PubMed:12379217)

Background

ATP-dependent lipophilic drug transporter.

References

- Nagase T.,et al.DNA Res. 5:355-364(1998).
Ohara O.,et al.Submitted (JAN-2004) to the EMBL/GenBank/DDBJ databases.
Zody M.C.,et al.Nature 440:1045-1049(2006).
Tsuruoka S.,et al.Biochem. Biophys. Res. Commun. 298:41-45(2002).
Chen R.,et al.J. Proteome Res. 8:651-661(2009).

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.