

MT-ND1 Antibody

Purified Rabbit Polyclonal Antibody (Pab)

Catalog # AP51370

Product Information

Application	WB
Primary Accession	P03886
Reactivity	Human, Mouse
Host	Rabbit
Clonality	Polyclonal
Calculated MW	35661

Additional Information

Gene ID	4535
Other Names	NADH-ubiquinone oxidoreductase chain 1, NADH dehydrogenase subunit 1, MT-ND1, MTND1, NADH1, ND1
Target/Specificity	KLH-conjugated synthetic peptide encompassing a sequence within the center region of human MT-ND1. The exact sequence is proprietary.
Dilution	WB~~1:1000
Format	0.01M PBS, pH 7.2, 0.09% (W/V) Sodium azide, Glycerol 50%
Storage	Store at -20 °C.Stable for 12 months from date of receipt

Protein Information

Name	MT-ND1
Synonyms	MTND1, NADH1, ND1
Function	Core subunit of the mitochondrial membrane respiratory chain NADH dehydrogenase (Complex I) which catalyzes electron transfer from NADH through the respiratory chain, using ubiquinone as an electron acceptor (PubMed: 1959619). Essential for the catalytic activity and assembly of complex I (PubMed: 1959619 , PubMed: 26929434).
Cellular Location	Mitochondrion inner membrane {ECO:0000250 UniProtKB:P03887}; Multi-pass membrane protein

Background

Core subunit of the mitochondrial membrane respiratory chain NADH dehydrogenase (Complex I) that is believed to belong to the minimal assembly required for catalysis. Complex I functions in the transfer of electrons from NADH to the respiratory chain. The immediate electron acceptor for the enzyme is believed to be ubiquinone (By similarity).

References

Anderson S.,et al.Nature 290:457-465(1981).
Horai S.,et al.Proc. Natl. Acad. Sci. U.S.A. 92:532-536(1995).
Moilanen J.S.,et al.Mol. Biol. Evol. 20:2132-2142(2003).
Ingman M.,et al.Nature 408:708-713(2000).
Ingman M.,et al.Genome Res. 13:1600-1606(2003).

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.