

UGT8 Antibody

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP51985

Product Information

Application WB Primary Accession Q16880

Reactivity Human, Mouse

HostRabbitClonalityPolyclonalCalculated MW61438

Additional Information

Gene ID 7368

Other Names 2-hydroxyacylsphingosine 1-beta-galactosyltransferase, Ceramide

UDP-galactosyltransferase, Cerebroside synthase, UDP-galactose-ceramide

galactosyltransferase, UGT8, CGT, UGT4

Target/Specificity KLH-conjugated synthetic peptide encompassing a sequence within the

C-term region of human UGT8. The exact sequence is proprietary.

Dilution WB~~1:1000

Format 0.01M PBS, pH 7.2, 0.09% (W/V) Sodium azide, Glycerol 50%

Storage Store at -20 °C.Stable for 12 months from date of receipt

Protein Information

Name UGT8 (<u>HGNC:12555</u>)

Synonyms CGT, UGT4

Function Catalyzes the transfer of galactose to ceramide, a key enzymatic step in the

biosynthesis of galactocerebrosides, which are abundant sphingolipids of the myelin membrane of the central nervous system and peripheral nervous system (PubMed: 9125199). Galactosylates both hydroxy- and non-hydroxy

fatty acid-containing ceramides and diglycerides (By similarity).

Cellular Location Membrane; Single-pass membrane protein. Endoplasmic reticulum

{ECO:0000250 | UniProtKB:Q09426}

Background

Catalyzes the transfer of galactose to ceramide, a key enzymatic step in the biosynthesis of galactocerebrosides, which are abundant sphingolipids of the myelin membrane of the central nervous system and peripheral nervous system.

References

Bosio A.,et al.Genomics 34:69-75(1996). Kapitonov D.E.,et al.Biochem. Biophys. Res. Commun. 232:449-453(1997). Ota T.,et al.Nat. Genet. 36:40-45(2004). Hillier L.W.,et al.Nature 434:724-731(2005). Mural R.J.,et al.Submitted (JUL-2005) to the EMBL/GenBank/DDBJ databases.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.