

Anti-EPHA3 Antibody

Rabbit polyclonal antibody to EPHA3 Catalog # AP59547

Product Information

ApplicationWBPrimary AccessionP29320Other AccessionP29319

Reactivity Human, Mouse, Rat, Zebrafish, Pig, Chicken, Bovine, Drosophila

Host Rabbit
Clonality Polyclonal
Calculated MW 110131

Additional Information

Gene ID 2042

Other Names ETK; ETK1; HEK; TYRO4; Ephrin type-A receptor 3; EPH-like kinase 4; EK4; hEK4;

HEK; Human embryo kinase; Tyrosine-protein kinase TYRO4; Tyrosine-protein

kinase receptor ETK1; Eph-like tyrosine kinase 1

Target/Specificity Recognizes endogenous levels of EPHA3 protein.

Dilution WB~~WB (1/500 - 1/1000)

Format Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30%

glycerol, and 0.09% (W/V) sodium azide.

Storage Store at -20 °C.Stable for 12 months from date of receipt

Protein Information

Name EPHA3

Synonyms ETK, ETK1, HEK, TYRO4

Function Receptor tyrosine kinase which binds promiscuously membrane- bound

ephrin family ligands residing on adjacent cells, leading to contact-dependent bidirectional signaling into neighboring cells. The signaling pathway downstream of the receptor is referred to as forward signaling while the signaling pathway downstream of the ephrin ligand is referred to as reverse signaling. Highly promiscuous for ephrin-A ligands it binds preferentially EFNA5. Upon activation by EFNA5 regulates cell-cell adhesion, cytoskeletal organization and cell migration. Plays a role in cardiac cells migration and differentiation and regulates the formation of the atrioventricular canal and septum during development probably through activation by EFNA1. Involved in the retinotectal mapping of neurons. May also control the segregation but

not the guidance of motor and sensory axons during neuromuscular circuit

development.


Cellular Location [Isoform 1]: Cell membrane; Single-pass type I membrane protein

Tissue Location Widely expressed. Highest level in placenta.

Background

KLH-conjugated synthetic peptide encompassing a sequence within the C-term region of human EPHA3. The exact sequence is proprietary.

Images



Western blot analysis of EPHA3 expression in mouse liver (A), mouse kidney (B) whole cell lysates.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.