

# ABCB5 Antibody (N-term)

Purified Rabbit Polyclonal Antibody (Pab)  
Catalog # AP6122a

## Product Information

---

<b>Application</b>	WB, FC, E
<b>Primary Accession</b>	<a href="#">Q2M3G0</a>
<b>Reactivity</b>	Human, Mouse
<b>Host</b>	Rabbit
<b>Clonality</b>	Polyclonal
<b>Isotype</b>	Rabbit IgG
<b>Calculated MW</b>	138641
<b>Antigen Region</b>	1-30

## Additional Information

---

<b>Gene ID</b>	340273
<b>Other Names</b>	ATP-binding cassette sub-family B member 5, ABCB5 P-gp, P-glycoprotein ABCB5, ABCB5
<b>Target/Specificity</b>	This ABCB5 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 1-30 amino acids from the N-terminal region of human ABCB5.
<b>Dilution</b>	WB~~1:1000 FC~~1:25 E~~Use at an assay dependent concentration.
<b>Format</b>	Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is prepared by Saturated Ammonium Sulfate (SAS) precipitation followed by dialysis against PBS.
<b>Storage</b>	Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.
<b>Precautions</b>	ABCB5 Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

## Protein Information

---

<b>Name</b>	ABCB5 ( <a href="#">HGNC:46</a> )
<b>Function</b>	Energy-dependent efflux transporter responsible for decreased drug accumulation in multidrug-resistant cells (PubMed: <a href="#">12960149</a> , PubMed: <a href="#">15205344</a> , PubMed: <a href="#">15899824</a> , PubMed: <a href="#">22306008</a> ). Specifically present in limbal stem cells, where it plays a key role in corneal development and repair (By similarity).

<b>Cellular Location</b>	Cell membrane; Multi-pass membrane protein {ECO:0000255 PROSITE-ProRule:PRU00441, ECO:0000269 PubMed:12960149}
<b>Tissue Location</b>	Expressed by CD133-expressing progenitor cells among epidermal melanocytes (at protein level). Widely expressed with specific expression in pigment cells. Highly expressed in several malignant tissues: highly expressed in clinical melanomas, with low expression in normal skin. In melanoma, marks malignant melanoma- initiating cells (MMIC), in which clinical virulence resides as a consequence of unlimited self-renewal capacity, resulting in inexorable tumor progression and metastasis. Also highly expressed in a number of leukemia cells. Expressed in basal limbal epithelium


## Background

ABCB5 belongs to the ATP-binding cassette (ABC) transporter superfamily of integral membrane proteins. These proteins participate in ATP-dependent transmembrane transport of structurally diverse molecules ranging from small ions, sugars, and peptides to more complex organic molecules.


## References

Frank,N.Y., Cancer Res. 65 (10), 4320-4333 (2005) Chen,K.G., Pigment Cell Res. 18 (2), 102-112 (2005)  
Frank,N.Y., J. Biol. Chem. 278 (47), 47156-47165 (2003)

## Images




Western blot analysis of ABCB5 Antibody (N-term) (Cat.#AP6122a) in A375, K562, A2058 and HL-60 cell line lysates (35ug/lane). ABCB5 (arrow) was detected using the purified Pab.



Flow Cytometry using ABCB5 Antibody (N-Term) Cat.# AP6122a on WM852 cell line. Live cell staining utilized PE-conjugated goat anti-rabbit (Jackson ImmunoResearch) as a secondary antibody. Analysis was done on an FC500 flow cytometer. Data courtesy of Dr. Steve Reuland, University of Colorado, Denver

Flow Cytometry using ABCB5 Antibody (N-Term) Cat.# AP6122a on SkMel-30 cell line. Live cell staining utilized PE-conjugated goat anti-rabbit (Jackson ImmunoResearch) as a secondary antibody. Analysis was done on an FC500 flow cytometer. Data courtesy of Dr.



Steve Reuland, University of Colorado, Denver

## Citations

- [Targeting the ABC transporter ABCB5 sensitizes glioblastoma to temozolomide-induced apoptosis through a cell-cycle checkpoint regulation mechanism.](#)
- [Side population cells from human melanoma tumors reveal diverse mechanisms for chemoresistance.](#)
- [CD133+ melanoma subpopulations contribute to perivascular niche morphogenesis and tumorigenicity through vasculogenic mimicry.](#)
- [Evaluation of a multi-marker immunomagnetic enrichment assay for the quantification of circulating melanoma cells.](#)
- [ABCB5 identifies a therapy-refractory tumor cell population in colorectal cancer patients.](#)
- [Melanoma spheroids grown under neural crest cell conditions are highly plastic migratory/invasive tumor cells endowed with immunomodulator function.](#)

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.