

CYP39A1 Polyclonal Antibody

Catalog # AP69410

Product Information

Application	WB, IHC-P
Primary Accession	Q9NYL5
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Calculated MW	54116

Additional Information

Gene ID	51302
Other Names	CYP39A1; 24-hydroxycholesterol 7-alpha-hydroxylase; Cytochrome P450 39A1; hCYP39A1; Oxysterol 7-alpha-hydroxylase
Dilution	WB~~Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. ELISA: 1/40000. Not yet tested in other applications. IHC-P~~N/A
Format	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.
Storage Conditions	-20°C


Protein Information

Name	CYP39A1 {ECO:0000303 PubMed:25201972, ECO:0000312 HGNC:HGNC:17449}
Function	A cytochrome P450 monooxygenase involved in neural cholesterol clearance through bile acid synthesis (PubMed: 10748047 , PubMed: 25201972). Catalyzes 7-alpha hydroxylation of (24S)- hydroxycholesterol, a neural oxysterol that is metabolized to bile acids in the liver (PubMed: 10748047 , PubMed: 25201972). Mechanistically, uses molecular oxygen inserting one oxygen atom into a substrate, and reducing the second into a water molecule, with two electrons provided by NADPH via cytochrome P450 reductase (CPR; NADPH-ferrihemoprotein reductase) (PubMed: 10748047 , PubMed: 25201972).
Cellular Location	Endoplasmic reticulum membrane {ECO:0000250 UniProtKB:Q64654}; Multi-pass membrane protein. Microsome membrane {ECO:0000250 UniProtKB:Q64654}; Multi-pass membrane protein
Tissue Location	Liver specific..


Background

Involved in the bile acid metabolism. Has a preference for 24-hydroxycholesterol, and converts it into a 7- α -hydroxylated product.

Images



Western Blot analysis of various cells using CYP39A1 Polyclonal Antibody



Western Blot analysis of HeLa cells using CYP39A1 Polyclonal Antibody

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.