

GPR110 Polyclonal Antibody

Catalog # AP70138

Product Information

Application WB, IF
Primary Accession Q5T601
Reactivity Human
Host Rabbit
Clonality Polyclonal
Calculated MW 101365

Additional Information

Gene ID 266977

Other Names GPR110; PGR19; Probable G-protein coupled receptor 110; G-protein coupled

receptor KPG_012; G-protein coupled receptor PGR19

Dilution WB~~Western Blot: 1/500 - 1/2000. Immunofluorescence: 1/200 - 1/1000.

ELISA: 1/40000. Not yet tested in other applications. IF~~1:50~200

Format Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium

azide.

Storage Conditions -20°C

Protein Information

Name ADGRF1 {ECO:0000303 | PubMed:35418679,

ECO:0000312 | HGNC:HGNC:18990}

Function Adhesion G-protein coupled receptor (aGPCR) for N-

docosahexaenoylethanolamine (synaptamide), an omega-3 fatty acid lipid highly enriched in the brain (PubMed:27759003, PubMed:32144388). Ligand binding causes a conformation change that triggers signaling via guanine nucleotide-binding proteins (G proteins) and modulates the activity of downstream effectors, such as adenylate cyclase (PubMed:35418679,

PubMed:<u>36127364</u>, PubMed:<u>37120430</u>). ADGRF1 is coupled to G(s) G proteins and mediates activation of adenylate cyclase activity (PubMed:<u>35418679</u>). Also able to couple to G(q), G(i) and G(12)/G(13) G proteins; additional

evidence is however required to confirm this result in vivo

(PubMed:<u>36127364</u>, PubMed:<u>37120430</u>). Involved in the development of neurons and cognitive function (By similarity). In liver, involved in fat


accumulation (By similarity).

Cellular Location Cell membrane; Multi-pass membrane protein


Background

Orphan receptor.

Images



Western Blot analysis of various cells using GPR110 Polyclonal Antibody



Western Blot analysis of 3T3 cells using GPR110 Polyclonal Antibody

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.