

Cyclin E2 Rabbit mAb

Catalog # AP75315

Product Information

ApplicationWB, IP, ICCPrimary Accession096020ReactivityHumanHostRabbit

Clonality Monoclonal Antibody

Calculated MW 46757

Additional Information

Gene ID 9134

Other Names CCNE2

Dilution WB~~1/500-1/1000 IP~~N/A ICC~~N/A

Format 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40%Glycerol, 0.01% sodium azide and

0.05% BSA.

Storage Store at 4°C short term. Aliquot and store at -20°C long term. Avoid

freeze/thaw cycles.

Protein Information

Name CCNE2

Function Essential for the control of the cell cycle at the late G1 and early S phase.


Cellular Location Nucleus.


Tissue Location According to PubMed:9858585, highest levels of expression in adult testis,

thymus and brain. Lower levels in placenta, spleen and colon. Consistently elevated levels in tumor-derived cells compared to non-transformed proliferating cells. According to PubMed:9840927: low levels in thymus, prostate, brain, skeletal muscle, and kidney. Elevated levels in lung. According to PubMed:9840943 highly expressed in testis, placenta, thymus and brain. In

a lesser extent in small intestine and colon.

Images





Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.