

DEK Rabbit mAb

Catalog # AP75349

Product Information

| | |
|--------------------------|------------------------|
| Application | WB, IHC-P, FC, IP |
| Primary Accession | P35659 |
| Reactivity | Human |
| Host | Rabbit |
| Clonality | Monoclonal Antibody |
| Isotype | IgG |
| Conjugate | Unconjugated |
| Purification | Affinity Purified |
| Calculated MW | 42674 |

Additional Information

| | |
|--------------------|---|
| Gene ID | 7913 |
| Other Names | DEK |
| Dilution | WB~~1:500-1:1000 IHC-P~~N/A FC~~1:200-1:500 IP~~1:20-1:50 |
| Format | Liquid in 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40%Glycerol, 0.01% sodium azide and 0.05% BSA. |
| Storage | Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles. |


Protein Information

| | |
|--------------------------|---|
| Name | DEK |
| Function | Involved in chromatin organization. |
| Cellular Location | Nucleus. Note=Enriched in regions where chromatin is decondensed or sparse in the interphase nuclei |
| Tissue Location | Ubiquitous. Expressed at relatively high levels. |


Background

Involved in chromatin organization.



Images




Western blot analysis of DEK in K562, MCF-7, HeLa lysates using DEK antibody.



Immunohistochemistry analysis of paraffin-embedded Human lung cancer using DEK antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.





Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.