

# Prealbumin Rabbit mAb

Catalog # AP75947

## Product Information

---

<b>Application</b>	WB, IHC-P, IP
<b>Primary Accession</b>	<a href="#">P02766</a>
<b>Reactivity</b>	Human
<b>Host</b>	Rabbit
<b>Clonality</b>	Monoclonal Antibody
<b>Isotype</b>	IgG
<b>Conjugate</b>	Unconjugated
<b>Purification</b>	Affinity Purified
<b>Calculated MW</b>	15887

## Additional Information

---

<b>Gene ID</b>	7276
<b>Other Names</b>	TTR
<b>Dilution</b>	WB~~1:1000-1:5000 IHC-P~~N/A IP~~1:10-1:100
<b>Format</b>	Liquid in 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40%Glycerol, 0.01% sodium azide and 0.05% BSA.
<b>Storage</b>	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.

## Protein Information

---




<b>Name</b>	TTR
<b>Synonyms</b>	PALB
<b>Function</b>	Thyroid hormone-binding protein. Probably transports thyroxine from the bloodstream to the brain.
<b>Cellular Location</b>	Secreted. Cytoplasm.
<b>Tissue Location</b>	Detected in serum and cerebrospinal fluid (at protein level). Highly expressed in choroid plexus epithelial cells Detected in retina pigment epithelium and liver

## Background

---

Thyroid hormone-binding protein. Probably transports thyroxine from the bloodstream to the brain.

Western blot analysis of Prealbumin in Human tonsil, Human placenta lysates using Prealbumin antibody.



Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.