

# Integrin alpha 4 Rabbit mAb

Catalog # AP77597

#### **Product Information**

ApplicationWBPrimary AccessionP13612ReactivityHumanHostRabbit

**Clonality** Monoclonal Antibody

**Isotype** IgG

**Conjugate** Unconjugated

Immunogen A synthesized peptide derived from human Integrin alpha 4

**Purification** Affinity Chromatography

Calculated MW 114900

## **Additional Information**

**Gene ID** 3676

Other Names ITGA4

**Dilution** WB~~1/500-1/1000

Format Liquid in 10mM PBS, pH 7.4, 150mM sodium chloride, 0.05% BSA, 0.02%

sodium azide and 50% glycerol.

**Storage** Store at 4°C short term. Aliquot and store at -20°C long term. Avoid

freeze/thaw cycles.

#### **Protein Information**

Name ITGA4

Synonyms CD49D

**Function** Integrins alpha-4/beta-1 (VLA-4) and alpha-4/beta-7 are receptors for

fibronectin. They recognize one or more domains within the alternatively spliced CS-1 and CS-5 regions of fibronectin. They are also receptors for VCAM1. Integrin alpha-4/beta-1 recognizes the sequence Q-I-D-S in VCAM1. Integrin alpha-4/beta-7 is also a receptor for MADCAM1. It recognizes the sequence L-D-T in MADCAM1. On activated endothelial cells integrin VLA-4 triggers homotypic aggregation for most VLA-4-positive leukocyte cell lines. It

may also participate in cytolytic T-cell interactions with target cells.


ITGA4:ITGB1 binds to fractalkine (CX3CL1) and may act as its coreceptor in CX3CR1-dependent fractalkine signaling (PubMed:23125415). ITGA4:ITGB1 binds to PLA2G2A via a site (site 2) which is distinct from the classical ligand-binding site (site 1) and this induces integrin conformational changes

and enhanced ligand binding to site 1 (PubMed: 18635536, PubMed: 25398877). Integrin ITGA4: ITGB1 represses PRKCA-mediated L-type voltage-gated channel Ca(2+) influx and ROCK-mediated calcium sensitivity in vascular smooth muscle cells via its interaction with SVEP1, thereby inhibiting vasocontraction (PubMed: 35802072).

**Cellular Location** Membrane; Single-pass type I membrane protein

**Tissue Location** Expressed in vascular smooth muscle cells (at protein level).

### **Images**



Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.