

Doublecortin Rabbit mAb

Catalog # AP77603

Product Information

Application WB, FC **Primary Accession** 043602

Reactivity Rat, Human, Mouse

Host Rabbit

Clonality Monoclonal Antibody

Isotype IgG

Conjugate Unconjugated

Immunogen A synthesized peptide derived from human DCX

Purification Affinity Chromatography

Calculated MW 40574

Additional Information

Gene ID 1641

Other Names DCX

Dilution WB~~1/500-1/1000 FC~~1:10~50

Format Liquid in 10mM PBS, pH 7.4, 150mM sodium chloride, 0.05% BSA, 0.02%

sodium azide and 50% glycerol.

Storage Store at 4°C short term. Aliquot and store at -20°C long term. Avoid

freeze/thaw cycles.

Protein Information

Name DCX

Synonyms DBCN, LISX

Function Microtubule-associated protein required for initial steps of neuronal

dispersion and cortex lamination during cerebral cortex development. May act by competing with the putative neuronal protein kinase DCLK1 in binding to a target protein. May in that way participate in a signaling pathway that is crucial for neuronal interaction before and during migration, possibly as part of a calcium ion-dependent signal transduction pathway. May be part with PAFAH1B1/LIS-1 of overlapping, but distinct, signaling pathways that promote

neuronal migration.

Cellular Location Cytoplasm. Cell projection, neuron projection


{ECO:0000250|UniProtKB:Q9ESI7}. Note=Localizes at neurite tips.

{ECO:0000250 | UniProtKB:Q9ESI7}

Tissue Location

Highly expressed in neuronal cells of fetal brain (in the majority of cells of the cortical plate, intermediate zone and ventricular zone), but not expressed in other fetal tissues. In the adult, highly expressed in the brain frontal lobe, but very low expression in other regions of brain, and not detected in heart, placenta, lung, liver, skeletal muscles, kidney and pancreas

Images



Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.