

PRAS40 Rabbit mAb

Catalog # AP77762

Product Information

Application WB, IP **Primary Accession** 096B36

Reactivity Rat, Human, Mouse

Host Rabbit

Clonality Monoclonal Antibody

Isotype IgG

Conjugate Unconjugated

Immunogen A synthesized peptide derived from human PRAS40

Purification Affinity Chromatography

Calculated MW 27383

Additional Information

Gene ID 84335

Other Names AKT1S1

Dilution WB~~1/500-1/1000 IP~~N/A

Format Liquid in 10mM PBS, pH 7.4, 150mM sodium chloride, 0.05% BSA, 0.02%

sodium azide and 50% glycerol.

Storage Store at 4°C short term. Aliquot and store at -20°C long term. Avoid

freeze/thaw cycles.

Protein Information

Name AKT1S1 {ECO:0000312 | EMBL:AAH16043.1}

Function Negative regulator of the mechanistic target of rapamycin complex 1

(mTORC1), an evolutionarily conserved central nutrient sensor that stimulates anabolic reactions and macromolecule biosynthesis to promote cellular biomass generation and growth (PubMed:17277771, PubMed:17386266, PubMed:17510057, PubMed:29236692). In absence of insulin and nutrients, AKT1S1 associates with the mTORC1 complex and directly inhibits mTORC1 activity by blocking the MTOR substrate- recruitment site (PubMed:29236692). In response to insulin and nutrients, AKT1S1 dissociates from mTORC1 (PubMed:17386266, PubMed:18372248). Its activity is dependent on its

phosphorylation state and binding to 14-3-3 (PubMed:<u>16174443</u>, PubMed:<u>18372248</u>). May also play a role in nerve growth factor-mediated

neuroprotection (By similarity).


Cellular Location Cytoplasm, cytosol {ECO:0000250 | UniProtKB:Q9D1F4}. Note=Found in the

cytosolic fraction of the brain. {ECO:0000250|UniProtKB:Q9D1F4}

Tissue Location

Widely expressed with highest levels of expression in liver and heart. Expressed at higher levels in cancer cell lines (e.g. A-549 and HeLa) than in normal cell lines (e.g. HEK293)

Images



Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.