

# DMAP1 Rabbit mAb

Catalog # AP78507

## **Product Information**

ApplicationWB, IF, ICCPrimary AccessionO9NPF5

**Reactivity** Rat, Human, Mouse

**Host** Rabbit

**Clonality** Monoclonal Antibody

**Isotype** IgG

**Conjugate** Unconjugated

**Immunogen** A synthesized peptide derived from human DMAP1

**Purification** Affinity Purified

Calculated MW 52993

#### **Additional Information**

**Gene ID** 55929

Other Names DMAP1

**Dilution** WB~~1/500-1/1000 IF~~1:50~200 ICC~~N/A

Format Liquid in 10mM PBS, pH 7.4, 150mM sodium chloride, 0.05% BSA, 0.02%

sodium azide and 50% glycerol.

**Storage** Store at 4°C short term. Aliquot and store at -20°C long term. Avoid

freeze/thaw cycles.

### **Protein Information**

Name DMAP1

Synonyms KIAA1425

**Function** Involved in transcription repression and activation. Its interaction with

HDAC2 may provide a mechanism for histone deacetylation in

heterochromatin following replication of DNA at late firing origins. Can also repress transcription independently of histone deacetylase activity. May specifically potentiate DAXX-mediated repression of glucocorticoid receptor-dependent transcription. Component of the NuA4 histone


acetyltransferase (HAT) complex which is involved in transcriptional activation of select genes principally by acetylation of nucleosomal histones H4 and H2A. This modification may both alter nucleosome - DNA interactions and promote interaction of the modified histones with other proteins which positively regulate transcription. This complex may be required for the activation of transcriptional programs associated with oncogene and

proto-oncogene mediated growth induction, tumor suppressor mediated growth arrest and replicative senescence, apoptosis, and DNA repair. NuA4 may also play a direct role in DNA repair when recruited to sites of DNA damage. Participates in the nuclear localization of URI1 and increases its transcriptional corepressor activity.

#### **Cellular Location**

Nucleus. Cytoplasm. Note=Targeted to replication foci throughout S phase by DNMT1

## **Images**



Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.