

ADH4 Rabbit mAb

Catalog # AP78803

Product Information

Application	WB, IHC-P, IF, ICC
Primary Accession	P08319
Reactivity	Human
Host	Rabbit
Clonality	Monoclonal Antibody
Isotype	IgG
Conjugate	Unconjugated
Immunogen	A synthesized peptide derived from human ADH4
Purification	Affinity Chromatography
Calculated MW	40222


Additional Information

Gene ID	127
Other Names	ADH4
Dilution	WB~~1/500-1/1000 IHC-P~~N/A IF~~1:50~200 ICC~~N/A
Format	Liquid in 10mM PBS, pH 7.4, 150mM sodium chloride, 0.05% BSA, 0.02% sodium azide and 50% glycerol.
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.

Protein Information

Name	ADH4 (HGNC:252)
Function	Catalyzes the NAD-dependent oxidation of either all-trans- retinol or 9-cis-retinol (PubMed: 17279314). Also oxidizes long chain omega-hydroxy fatty acids, such as 20-HETE, producing both the intermediate aldehyde, 20-oxoarachidonate and the end product, a dicarboxylic acid, (5Z,8Z,11Z,14Z)-eicosatetraenedioate (PubMed: 16081420). Also catalyzes the reduction of benzoquinones (PubMed: 10514444).
Cellular Location	Cytoplasm.

Images



Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.