

5T4 Antibody

Rabbit mAb

Catalog # AP90615

Product Information

Application	WB, IHC
Primary Accession	Q13641
Reactivity	Human
Clonality	Monoclonal
Other Names	TPBG; 5T4; 5T4-AG; 5T4AG; 5T4 oncofetal antigen; M6P1; Trophoblast glycoprotein;
Isotype	Rabbit IgG
Host	Rabbit
Calculated MW	46032


Additional Information

Dilution	WB 1:500~1:1000 IHC 1:50~1:200
Purification	Affinity-chromatography
Immunogen	A synthesized peptide derived from human 5T4
Description	5T4 is a 72 kDa transmembrane glycoprotein that exhibits restricted expression in human and mouse adult tissues, is upregulated on many carcinomas and tumour expression correlates with poorer clinical outcome in ovarian, gastric and colorectal cancers. mES cells lack cell surface expression of the 5T4 antigen, and both protein and mRNA are rapidly upregulated following induction of differentiation. This proteins expression correlates with downregulation of OCT-4 and Tra-1-60.
Storage Condition and Buffer	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Store at +4°C short term. Store at -20°C long term. Avoid freeze / thaw cycle.

Protein Information

Name	TPBG
Synonyms	5T4
Function	May function as an inhibitor of Wnt/beta-catenin signaling by indirectly interacting with LRP6 and blocking Wnt3a-dependent LRP6 internalization.
Cellular Location	Cell membrane; Single-pass type I membrane protein
Tissue Location	Expressed by all types of trophoblasts as early as 9 weeks of development. Specific for trophoblastic cells except for amniotic epithelium. In adult tissues, the expression is limited to a few epithelial cell types but is found on a variety of carcinoma

Images



Western blot analysis of 5T4 expression in Caco-2 cell lysates.

Image not found : 202311/AP90615-IHC.jpg

Immunohistochemical analysis of paraffin-embedded human uters cancer, using 5T4 Antibody.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.