

DDX6 Antibody

Rabbit mAb

Catalog # AP91719

Product Information

Application	WB, IHC
Primary Accession	P26196
Reactivity	Rat, Human, Mouse
Clonality	Monoclonal
Other Names	DDX6; HLR2; P54; RCK;
Isotype	Rabbit IgG
Host	Rabbit
Calculated MW	54417

Additional Information

Dilution	WB 1:500~1:2000 IHC 1:50~1:200
Purification	Affinity-chromatography
Immunogen	A synthesized peptide derived from human DDX6
Description	DEAD box proteins, characterized by the conserved motif Asp-Glu-Ala-Asp (DEAD), are putative RNA helicases. They are implicated in a number of cellular processes involving alteration of RNA secondary structure such as translation initiation, nuclear and mitochondrial splicing, and ribosome and spliceosome assembly.
Storage Condition and Buffer	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Store at +4°C short term. Store at -20°C long term. Avoid freeze / thaw cycle.

Protein Information


Name	DDX6
Synonyms	HLR2, RCK
Function	Essential for the formation of P-bodies, cytosolic membrane- less ribonucleoprotein granules involved in RNA metabolism through the coordinated storage of mRNAs encoding regulatory functions (PubMed: 25995375 , PubMed: 27342281 , PubMed: 31422817). Plays a role in P-bodies to coordinate the storage of translationally inactive mRNAs in the cytoplasm and prevent their degradation (PubMed: 27342281). In the process of mRNA degradation, plays a role in mRNA decapping (PubMed: 16364915). Blocks autophagy in nutrient-rich conditions by repressing the expression of ATG-related genes through degradation of their transcripts (PubMed: 26098573).
Cellular Location	Cytoplasm, P-body. Cytoplasm. Nucleus. Cytoplasm, Cytoplasmic

ribonucleoprotein granule {ECO:0000250|UniProtKB:P54823}. Note=Imported in the nucleus via interaction with EIF4ENIF1/4E-T via a piggy-back mechanism (PubMed:28216671). Upon cellular stress, relocalizes to stress granules (PubMed:26184334).

Tissue Location

Abundantly expressed in most tissues.

Images



Western blot analysis of DDX6 expression in K562 cell lysate.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.