

IKZF3 Antibody

Rabbit mAb

Catalog # AP92810

Product Information

Application	WB, IHC
Primary Accession	Q9UKT9
Reactivity	Rat, Human, Mouse
Clonality	Monoclonal
Other Names	AIO; IKZF3; ZNFN1A3;
Isotype	Rabbit IgG
Host	Rabbit
Calculated MW	58023


Additional Information

Dilution	WB 1:500~1:2000 IHC 1:50~1:200
Purification	Affinity-chromatography
Immunogen	A synthesized peptide derived from human IKZF3
Description	Transcription factor that plays an important role in the regulation of lymphocyte differentiation. Plays an essential role in regulation of B-cell differentiation, proliferation and maturation to an effector state. Involved in regulating BCL2 expression and controlling apoptosis in T-cells in an IL2-dependent manner.
Storage Condition and Buffer	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Store at +4°C short term. Store at -20°C long term. Avoid freeze / thaw cycle.

Protein Information

Name	IKZF3
Synonyms	ZNFN1A3
Function	Transcription factor that plays an important role in the regulation of lymphocyte differentiation. Plays an essential role in regulation of B-cell differentiation, proliferation and maturation to an effector state. Involved in regulating BCL2 expression and controlling apoptosis in T-cells in an IL2-dependent manner.
Cellular Location	Nucleus. Cytoplasm [Isoform 3]: Nucleus [Isoform 14]: Nucleus. Cytoplasm
Tissue Location	Expressed most strongly in peripheral blood leukocytes, the spleen, and the thymus.

Images



Western blot analysis of IKZF3 expression in Raji cell lysate.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.