

ZNF705D (4V8) Mouse Monoclonal antibody

ZNF705D (4V8) Mouse Monoclonal antibody Catalog # AP93854

Product Information

Application WB, IHC
Primary Accession POCH99
Reactivity Human
Clonality Monoclonal
Calculated MW 34712

Additional Information

Gene ID 728957

Other Names Zinc finger protein 705D, ZNF705D

Dilution WB~~1:1000 IHC~~1:100~500

Storage Conditions -20°C


Protein Information

Name ZNF705D

Function May be involved in transcriptional regulation.


Cellular Location Nucleus.

Images




Immunohistochemical staining of paraffin-embedded Human prostate tissue within the normal limits using anti-ZNF705D mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.5) at 120°C for 3min, AP93854) (1:500)


Immunohistochemical staining of paraffin-embedded Adenocarcinoma of Human endometrium tissue using




anti-ZNF705D mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.5) at 120°C for 3min, AP93854) (1:500)




Immunohistochemical staining of paraffin-embedded Carcinoma of Human thyroid tissue using anti-ZNF705D mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.5) at 120°C for 3min, AP93854) (1:500)



Immunohistochemical staining of paraffin-embedded Human tonsil within the normal limits using anti-ZNF705D mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.5) at 120°C for 3min, AP93854) (1:500)




Immunohistochemical staining of paraffin-embedded Human lymphoma tissue using anti-ZNF705D mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.5) at 120°C for 3min, AP93854) (1:500)



Immunohistochemical staining of paraffin-embedded Human pancreas tissue within the normal limits using anti-ZNF705D mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.5) at 120°C for 3min, AP93854) (1:500)

Immunohistochemical staining of paraffin-embedded Human breast tissue within the normal limits using anti-ZNF705D mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.5) at 120°C for 3min, AP93854) (1:500)



Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.