

RFP Mouse mAb

RFP Mouse mAb Catalog # AP93945

Product Information

ApplicationWBHostRabbitClonalityMonoclonalPhysical StateLiquid

Immunogen Recombinant Red fluorescent protein

Isotype IgG

Purity affinity purified by Protein G

Buffer 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol.

Post-translational modifications

Contains a chromophore consisting of modified amino acid residues. The chromophore is formed by autocatalytic backbone condensation between Xaa-N and Gly-(N+2), oxidation of Tyr-(N+1) to didehydrotyrosine, and formation of a double bond to the alpha-amino nitrogen of residue Xaa-N. Maturation of the chromophore requires nothing other than molecular oxygen.

Important Note This product as supplied is intended for research use only, not for use in

human, therapeutic or diagnostic applications.

Background Descriptions Fluorescent proteins have become a useful and ubiquitous tool for making

chimeric proteins, where they function as a fluorescent protein tag. Typically they tolerate N- and C-terminal fusion to a broad variety of proteins. They have been expressed in most known cell types and are used as a noninvasive fluorescent marker in living cells and organisms. They enable a wide range of applications where they have functioned as a cell lineage tracer, reporter of gene expression, or as a measure of protein-protein interactions.Red Fluorescent Protein (RFP) is a versatile biological marker for monitoring physiological processes, visualizing protein localization, and detecting transgenic expression in vivo. RFP can be excited by the 488 nm or 532 nm

laser line and is optimally detected at 588 nm.

Additional Information

Dilution WB=1:1000-5000

Format 0.01M TBS(pH7.4) with 1% BSA, 0.09% (W/V) sodium azide and 50% Glyce

Storage Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When


reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody

is stable for at least two weeks at 2-4 °C.


Background

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.

Images



Sample: Lane 1: RFP-Tagged fusion protein (full length) Overexpression E.coli Lysate (Cat#: bs-33011P) at 4 ug Primary: Anti-RFP-Tag (AP93945) at 1/1000 dilution Secondary: IRDye800CW Goat Anti-Mouse IgG at 1/20000 dilution Predicted band size: 26 kD Observed band size: 26 kD



Sample: Lane 1: RFP-Tagged Fusion Protein
Overexpression E.coli Lysate (Cat#: bs-41403P) at 2ug
Lane 2: RFP-Tagged Fusion Protein Overexpression E.coli
Lysate (Cat#: bs-41403P) at 4ug Primary: Anti-RFP-Tag
(AP93945) at 1/1000 dilution Secondary: IRDye800CW
Goat Anti-Mouse IgG at 1/20000 dilution Predicted band
size: 51 kD Observed band size: 51 kD

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.