

NOL9 Antibody (C-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP9913b

Product Information

Application WB, FC, E **Primary Accession Q5SY16** Reactivity Human Host Rabbit Clonality Polyclonal Isotype Rabbit IgG **Calculated MW** 79323 **Antigen Region** 668-696

Additional Information

Gene ID 79707

Other Names Polynucleotide 5'-hydroxyl-kinase NOL9, 271-, Nucleolar protein 9, NOL9

Target/Specificity This NOL9 antibody is generated from rabbits immunized with a KLH

conjugated synthetic peptide between 668-696 amino acids from the

C-terminal region of human NOL9.

Dilution WB~~1:1000 FC~~1:10~50 E~~Use at an assay dependent concentration.

Format Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide.

This antibody is purified through a protein A column, followed by peptide

affinity purification.

Storage Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store

at -20°C in small aliquots to prevent freeze-thaw cycles.

PrecautionsNOL9 Antibody (C-term) is for research use only and not for use in diagnostic

or therapeutic procedures.

Protein Information

Name NOL9

Function Polynucleotide kinase that can phosphorylate the 5'-hydroxyl groups of

single-stranded and double-stranded RNA and DNA substrates

(PubMed: <u>21063389</u>). Involved in rRNA processing and its kinase activity is required for the processing of the 32S precursor into 5.8S and 28S rRNAs,

more specifically for the generation of the major 5.8S(S) form

(PubMed: 21063389). Required for the efficient pre-rRNA processing of

internal transcribed spacer 2 (ITS2) (PubMed:21063389). Associates with LAS1L to form an ITS2 pre-rRNA endonuclease-kinase complex and is responsible for the transport of this complex into the nucleolus (PubMed:31288032).


Cellular Location

Nucleus {ECO:0000250 | UniProtKB:Q3TZX8}. Nucleus, nucleolus. Note=Colocalizes with pre-60S rRNP particles


References

Scherl, A., et al. Mol. Biol. Cell 13(11):4100-4109(2002) Wistow, G., et al. Mol. Vis. 8, 205-220 (2002) Andersen, J.S., et al. Curr. Biol. 12(1):1-11(2002)

Images



NOL9 Antibody (C-term) (Cat. #AP9913b) western blot analysis in Jurkat,293,Hela cell line lysates (35ug/lane).This demonstrates the NOL9 antibody detected the NOL9 protein (arrow).



NOL9 Antibody (C-term) (Cat. #AP9913b) flow cytometric analysis of Jurkat cells (right histogram) compared to a negative control cell (left histogram).FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

Citations

• LAS1L interacts with the mammalian Rix1 complex to regulate ribosome biogenesis.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.