

Anti-GCGR Reference Antibody (crotedumab)

Recombinant Antibody Catalog # APR10602

Product Information

Application FC, Kinetics, Animal Model

Primary Accession P47871

Reactivity Human, Mouse, Rat

ClonalityMonoclonalIsotypeIgG4SPCalculated MW54009

Additional Information

Target/Specificity GCGR

Endotoxin

Conjugation Unconjugated

Expression system CHO Cell

Format Purified monoclonal antibody supplied in PBS, pH6.0, without

preservative. This antibody is purified through a protein A column.

Protein Information

Name GCGR

Function G-protein coupled receptor for glucagon that plays a central role in the


regulation of blood glucose levels and glucose homeostasis. Regulates the rate of hepatic glucose production by promoting glycogen hydrolysis and gluconeogenesis. Plays an important role in mediating the responses to fasting. Ligand binding causes a conformation change that triggers signaling via guanine nucleotide-binding proteins (G proteins) and modulates the activity of down-stream effectors, such as adenylate cyclase. Promotes activation of adenylate cyclase. Besides, plays a role in signaling via a

phosphatidylinositol-calcium second messenger system.


Cellular Location Cell membrane; Multi-pass membrane protein. Note=Is rapidly internalized

after ligand-binding


Images



SDS-PAGE under reducing (R) condition. The gel was stained with Coomassie Blue. The purity of the protein is greater than 95%



The purity of Anti-GCGR Reference Antibody (crotedumab)is more than 96.61% ,determined by SEC-HPLC.



Human GCCR His EGFP HEK293 cells were stained with Anti-GCGR Reference Antibody (crotedumab) and negative control protein respectively, washed and then followed by PE and analyzed with FACS, EC668=0.6028 $\mu g/mL$

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.