10320 Camino Santa Fe, Suite G San Diego, CA 92121 Tel: 858.875.1900 Fax: 858.875.1999



Anti-GPC1 / Glypican-1 Reference Antibody (Minomic patent anti-Glypican 1)

Recombinant Antibody Catalog # APR10921

Product Information

Application FC, Kinetics, Animal Model

Primary Accession
Reactivity
Clonality
Isotype
Calculated MW
P35052
Human
Monoclonal
IgG1
61680

Additional Information

Target/Specificity GPC1 / Glypican-1

Endotoxin

Conjugation Unconjugated

Expression system CHO Cell

Format Purified monoclonal antibody supplied in PBS, pH6.0, without

preservative. This antibody is purified through a protein A column.

Protein Information

Name GPC1

Function Cell surface proteoglycan that bears heparan sulfate. Binds, via the heparan

sulfate side chains, alpha-4 (V) collagen and participates in Schwann cell myelination (By similarity). May act as a catalyst in increasing the rate of conversion of prion protein PRPN(C) to PRNP(Sc) via associating (via the heparan sulfate side chains) with both forms of PRPN, targeting them to lipid rafts and facilitating their interaction. Required for proper skeletal muscle differentiation by sequestering FGF2 in lipid rafts preventing its binding to

receptors (FGFRs) and inhibiting the FGF-mediated signaling.


Cellular Location Cell membrane; Lipid-anchor, GPI-anchor; Extracellular side. Endosome.

Note=S-nitrosylated form recycled in endosomes. Localizes to


CAV1-containing vesicles close to the cell surface. Cleavage of heparan sulfate side chains takes place mainly in late endosomes. Associates with both forms of PRNP in lipid rafts Colocalizes with APP in perinuclear compartments and

with CP in intracellular compartments. Associates with fibrillar APP amyloid-beta peptides in lipid rafts in Alzheimer disease brains

Images



Anti-GPC1 / Glypican-1 Reference Antibody (Minomic patent anti-Glypican 1) on SDS-PAGE under reducing (R) condition. The gel was stained with Coomassie Blue. The purity of the protein is greater than 90%



The purity of Anti-GPC1 / Glypican-1 Reference Antibody (Minomic patent anti-Glypican 1)is more than 95% ,determined by SEC-HPLC.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.