

## Anti-Goat Serum Secondary Antibody

Rabbit Polyclonal, Unconjugated Catalog # ASR1526

## **Product Information**

**Description** Anti-GOAT SERUM (RABBIT) Antibody

**Host** Rabbit

**Conjugate** Unconjugated

Target SpeciesGoatReactivityGoatClonalityPolyclonalPhysical StateLyophilizedHost IsotypeAntiserum

**Buffer** 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2

Immunogen Anti-Goat serum was produced by repeated immunizations with Goat serum

proteins.

**Reconstitution Volume** 2.0 mL

**Reconstitution Buffer** Restore with deionized water (or equivalent)

Stabilizer None

**Preservative** 0.01% (w/v) Sodium Azide

## Additional Information

Shipping Condition Ambient

**Application Note** Anti-goat serum antibody is suitable for western blotting, IP and for ELISA.

Researchers should determine optimal titers for applications that are not

stated below.

**Purity** Anti-Goat serum antibody was prepared from polyspecific antiserum by

delipidation and defibrination. Assay by immunoelectrophoresis resulted in

multiple precipitin arcs against Goat Serum.

**Storage Condition** Store vial at 4° C prior to restoration. For extended storage aliquot contents

and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only

prior to immediate use.

**Precautions Note**This product is for research use only and is not intended for therapeutic or

diagnostic applications.

## **Background**

Anti-goat serum antibody detects goat serum proteins. Serum proteins are those proteins remaining in portion of plasma after coagulation of blood, during which process the plasma protein fibrinogen is converted to fibrin and remains behind in the clot. Anti-Bovine serum antibody is ideal for investigators

involved in Cell Signaling, cellular biology and Signal Transduction research.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.