

# TOMM20 Antibody (monoclonal) (M01)

Mouse monoclonal antibody raised against a full length recombinant TOMM20.  
Catalog # AT4301a

## Product Information

---

<b>Application</b>	WB, IHC, IF, E
<b>Primary Accession</b>	<a href="#">Q15388</a>
<b>Other Accession</b>	<a href="#">BC066335</a>
<b>Reactivity</b>	Human, Mouse, Rat
<b>Host</b>	Mouse
<b>Clonality</b>	monoclonal
<b>Isotype</b>	IgG1 Kappa
<b>Clone Names</b>	4F3
<b>Calculated MW</b>	16298

## Additional Information

---

<b>Gene ID</b>	9804
<b>Other Names</b>	Mitochondrial import receptor subunit TOM20 homolog, Mitochondrial 20 kDa outer membrane protein, Outer mitochondrial membrane receptor Tom20, TOMM20, KIAA0016
<b>Target/Specificity</b>	TOMM20 (AAH66335, 1 a.a. ~ 145 a.a) full-length recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.
<b>Dilution</b>	WB~~1:500~1000 IHC~~1:100~500 IF~~1:50~200 E~~N/A
<b>Format</b>	Clear, colorless solution in phosphate buffered saline, pH 7.2 .
<b>Storage</b>	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
<b>Precautions</b>	TOMM20 Antibody (monoclonal) (M01) is for research use only and not for use in diagnostic or therapeutic procedures.


## References

---


- 1.Short RNA Molecules with High Binding Affinity to the KH Motif of A-Kinase Anchoring Protein 1 (AKAP1): Implications for the Regulation of Steroidogenesis.Grozdanov PN, Stocco DM.Mol Endocrinol. 2012 Oct 17. [Epub ahead of print]
- 2.Cellular distribution and subcellular localization of spatacsin and spastizin, two proteins involved in hereditary spastic paraplegia.Murmu RP, Martin E, Rastetter A, Esteves T, Muriel MP, El Hachimi KH, Denora PS, Dauphin A, Fernandez JC, Duyckaerts C, Brice A, Darios F, Stevanin G.Mol Cell Neurosci. 2011 Apr 27. [Epub ahead of print]

## Images


---




Antibody Reactive Against Recombinant Protein.Western Blot detection against Immunogen (41.69 KDa) .



TOMM20 monoclonal antibody (M01), clone 4F3 Western Blot analysis of TOMM20 expression in HeLa ( (Cat # AT4301a )







TOMM20 monoclonal antibody (M01), clone 4F3. Western Blot analysis of TOMM20 expression in PC-12 ( (Cat # AT4301a )



TOMM20 monoclonal antibody (M01), clone 4F3. Western Blot analysis of TOMM20 expression in NIH/3T3 ( (Cat # AT4301a )

Western Blot analysis of TOMM20 expression in transfected 293T cell line by TOMM20 monoclonal antibody (M01), clone 4F3.

Lane 1: TOMM20 transfected lysate(16.3 KDa).  
Lane 2: Non-transfected lysate.



Detection limit for recombinant GST tagged TOMM20 is approximately 0.1ng/ml as a capture antibody.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.