

# SEMA4B Antibody (C-term)

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AW5642

#### **Product Information**

**Application** WB **Primary Accession** O9NPR2 Reactivity Human Host Rabbit Polyclonal Clonality **Calculated MW** 92766 Isotype Rabbit IgG **Antigen Source HUMAN** 

## **Additional Information**

**Gene ID** 10509

Antigen Region 371-405

Other Names Semaphorin-4B, SEMA4B, KIAA1745, SEMAC

**Dilution** WB~~1:2000

Target/Specificity This SEMA4B antibody is generated from a rabbit immunized with a KLH

conjugated synthetic peptide between 371-405 amino acids from the

C-terminal region of human SEMA4B.

**Format** Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide.

This antibody is purified through a protein A column, followed by peptide

affinity purification.

**Storage** Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store

at -20°C in small aliquots to prevent freeze-thaw cycles.

**Precautions** SEMA4B Antibody (C-term) is for research use only and not for use in

diagnostic or therapeutic procedures.

#### **Protein Information**

Name SEMA4B ( <u>HGNC:10730</u>)

**Function** Inhibits axonal extension by providing local signals to specify territories

inaccessible for growing axons.

**Cellular Location** Membrane; Single-pass type I membrane protein.


# **Background**

Inhibits axonal extension by providing local signals to specify territories inaccessible for growing axons.

## References

White J.R., et al. Submitted (OCT-2003) to the EMBL/GenBank/DDBJ databases. Nagase T., et al. DNA Res. 7:347-355(2000). Clark H.F., et al. Genome Res. 13:2265-2270(2003). Zody M.C., et al. Nature 440:671-675(2006). Zhang Z., et al. Protein Sci. 13:2819-2824(2004).

# **Images**



All lanes: Anti-SEMA4B Antibody (C-term) at1:2000 dilution Lane 1: A549 whole cell lysate Lane 2: DU145 whole cell lysate Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size: 92 kDa Blocking/Dilution buffer: 5% NFDM/TBST.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.